



TRUE'S GRAPHICS REQUIREMENTS

Please follow the simple guidelines outlined below to ensure that your graphics print to the highest possible quality.

FORMAT

True supports Adobe graphic applications which include Photoshop, Illustrator and InDesign. Digital graphic files should be layered and include all fonts and linked objects. Preferred file Photoshop formats include: .tiff, .psd and .pdf.

SUPPLIED IMAGE QUALITY

To ensure high quality images, please submit files at 440 dpi @ ¼ scale or 110 dpi @ full scale. A target proof is recommended for color accuracy. In cases where one is not available, True will provide one for customer approval prior to production.


True employs the most advanced printing technologies available in today's marketplace. Utilizing both Digital and Screen Printing processes to produce stunning graphics to fit our customer's brands and themes.

Our state-of-the-art super-wide format, eight-color hybrid, digital printer is capable of printing directly to a variety of different substrates. With resolution up to 1080 dpi, we are able to produce crisp text and smooth gradients that combine to create superior image quality.

Along with using the latest printing hardware, we are also trained in the industry's leading color management practices. Our printing personnel are all certified G7 Master printers. Their knowledge and expertise ensure that our customers receive the most color accurate prints possible with consistent image replication from run to run.

SIZE REQUIREMENTS - GRAPHICS DIMENSIONS

When producing the same graphic for different cooler sizes, it is preferable to size the graphic to accommodate all the sizes with one layout. The below sizes outline the minimum and maximum dimensions to achieve this result. Please keep all critical elements within the minimum area, while extending background colors or pictures to fill the maximum area. Exact graphics dimensions are available on the following pages.



MAXIMUM / MINIMUM SIGN PANELS DIMENSIONS

Single Door
MINIMUM = 6 ¹⁵/₁₆" X 23 ³/₄" (176 x 603 mm)
MAXIMUM = 9 ⁷/₁₆" X 35 ⁹/₁₆" (240 x 903 mm)

Double Door
MINIMUM = 7 ³/₈" X 37 ¹/₄" (187 x 946 mm)
MAXIMUM = 9 ⁷/₁₆" X 54 ³/₈" (240 x 1381 mm)

Triple Door
MINIMUM = 7 ³/₈" X 68 ¹/₄" (187 x 1734 mm)
MAXIMUM = 9 ⁷/₁₆" X 77 ⁵/₈" (240 x 1972 mm)

GDM-9, -14RF, -35SL-RF-LD
MINIMUM = 2" X 26 ¹/₄" (51 x 667 mm)
TAC-14GS-LD
MAXIMUM = 4 ⁷/₈" X 39" (124 x 991 mm)

Door Decals
MINIMUM = 3" X 13 ⁹/₁₆" (76 x 344 mm)
MAXIMUM = 6 ¹/₂" X 20 ¹/₈" (165 x 512 mm)

Exact graphics dimensions for each True model are available on the following pages.

MAXIMUM / MINIMUM END DECALS DIMENSIONS

"Swing" Door Ends

GDM-23, -26, -35, -43, -49, -72-LD

"Slide" Door Ends

GDM-33, -37, -41, 45, -47, -69-LD

MINIMUM = 21 1/2" X 76 9/16" (546 x 1945 mm)

GDM-19T-LD

MAXIMUM = 28 11/16" X 79 5/16" (729 x 2015 mm)

TAC-30, -36, -48, -72-LD

TVM-400

GDM-10, -12, 14RF-LD

MINIMUM = 19 15/16" X 50 13/16" (506 x 1291 mm)

GDM-33CPT, CPT-54-LD

MAXIMUM = 23 11/16" X 59 11/16" (602 x 1516 mm)

GDM-41SL-54, -41SL-60-LD

GDM-33SSL-54-LD

MINIMUM = 17 1/2" X 51 15/16" (445 x 1319 mm)

GDM-35SL-RF-LD

MAXIMUM = 17 5/8" X 55 7/16" (448 x 1408 mm)

GDM-5, -6, -7, -8, -9-LD

MINIMUM = 19 3/8" X 34 13/16" (492 x 884 mm)

MAXIMUM = 21 7/8" X 45 1/16" (556 x 1145 mm)

Exact graphics dimensions for each True model are available on the following pages.

TRIM AREA: The final, overall size of the door decal or sign graphics.

VIEWING AREA: The dimension all critical elements (type, logos, legal lines) must stay within so as not to be blocked out by the sign frame.

SIGNS

MODEL	Trim Area (final Graphic Size) Height x Length (inches)	Viewing Area Height x Length (inches)
GDM-5/-5PT-LD	$7^{13}/_{16} \times 21^{7}/_{8}$ (198 x 556 mm)	$7^{3}/_{8} \times 21^{1}/_{2}$ (187 x 546 mm)
GDM-9/-9PT-LD	$4^{7}/_{8} \times 33$ (124 x 838 mm)	$2^{1}/_{8} \times 32^{1}/_{2}$ (54 x 826 mm) starting $9/_{16}$ " from the bottom trim
GDM-14RF-LD	$3^{7}/_{16} \times 29^{7}/_{8}$ (87 x 759 mm)	$2 \times 29^{1}/_{2}$ (51 x 749 mm)
GDM-19/-23 (standard)	$8^{1}/_{4} \times 24^{7}/_{16}$ (210 x 621 mm)	$7^{7}/_{8} \times 24^{1}/_{4}$ (200 x 616 mm)
GDM-19/-23IM (injection mold)	$7^{5}/_{16} \times 25$ (186 x 635 mm)	$6^{15}/_{16} \times 23^{3}/_{4}$ (176 x 603 mm)
GDM-19/-23SS/TSL	$8^{1}/_{4} \times 26^{5}/_{8}$ (210 x 676 mm)	$7^{1}/_{16} \times 24^{1}/_{2}$ (179 x 622 mm)
GDM-19/-23HST	$7^{5}/_{8} \times 26^{5}/_{8}$ (194 x 676 mm)	$7^{1}/_{16} \times 24^{1}/_{2}$ (180x 622 mm)
GDM-26 (standard)	$8^{1}/_{4} \times 27^{7}/_{16}$ (210 x 697 mm)	$7^{7}/_{8} \times 27^{1}/_{16}$ (200 x 687 mm)
GDM-26IM (injection mold)	$7^{5}/_{16} \times 28$ (186 x 711 mm)	$6^{15}/_{16} \times 26^{3}/_{4}$ (176 x 679 mm)
GDM-26SS/TSL	$8^{1}/_{4} \times 29^{1}/_{4}$ (210 x 743 mm)	$7^{1}/_{16} \times 27^{1}/_{8}$ (179 x 689 mm)
GDM-26HST	$7^{5}/_{8} \times 29^{1}/_{4}$ (194 x 743 mm)	$7^{1}/_{16} \times 27^{1}/_{8}$ (180 x 689 mm)
GDM-26RF	$8^{1}/_{2} \times 29^{1}/_{4}$ (216 x 743 mm)	$7^{5}/_{8} \times 28^{3}/_{16}$ (194 x 716 mm)
GDM-33	$8^{1}/_{4} \times 37^{5}/_{8}$ (210 x 956 mm)	$7^{7}/_{8} \times 37^{1}/_{4}$ (200 x 946)
GDM-35	$8^{1}/_{4} \times 37^{3}/_{8}$ (210 x 949 mm)	$7^{7}/_{8} \times 37^{1}/_{4}$ (200 x 946)
GDM-35-RF	$8^{1}/_{2} \times 39^{1}/_{2}$ (216 x 1003 mm)	$7^{5}/_{8} \times 37^{5}/_{8}$ (194 x 956 mm)
GDM-35SL-RF	$4^{3}/_{16} \times 39$ (106 x 991 mm)	$3^{1}/_{4} \times 37^{5}/_{8}$ (83 x 956 mm)
GDM-35-TSL	$8^{1}/_{4} \times 38^{3}/_{4}$ (210 x 985 mm)	$7^{1}/_{4} \times 37^{3}/_{8}$ (184 x 950 mm)
GDM-37	$8^{1}/_{4} \times 41^{5}/_{8}$ (210 x 1057 mm)	$7^{7}/_{8} \times 41^{1}/_{4}$ (200 x 1048 mm)
GDM-41/-41SL / TVM-48SL	$8^{1}/_{4} \times 45^{1}/_{8}$ (210 X 1146 mm)	$7^{7}/_{8} \times 44^{3}/_{4}$ (200 x 1137 mm)
GDM-43	$8^{1}/_{4} \times 45$ (210 x 1143 mm)	$7^{7}/_{8} \times 44^{5}/_{8}$ (200 x 1159 mm)
GDM-43-TSL	$8^{1}/_{4} \times 46^{3}/_{8}$ (210 x 1178 mm)	$7^{1}/_{4} \times 45$ (184 x 1143 mm)

SIGNS continuation...

MODEL	Trim Area (final Graphic Size) Height x Length (inches)	Viewing Area Height x Length (inches)
GDM-45	8 ¹ / ₄ x 49 ¹ / ₈ (210 x 1248 mm)	7 ⁷ / ₈ x 48 ³ / ₄ (200 x 1238 mm)
GDM-47/-49F /-49DT-LD	8 ¹ / ₄ x 52 ¹ / ₈ (210 x 1324 mm)	7 ⁷ / ₈ x 51 ³ / ₄ (200 x 1314 mm)
GDM-49	8 ¹ / ₄ x 52 (210 x 1321 mm)	7 ⁷ / ₈ x 51 ³ / ₄ (200 x 1314 mm)
GDM-49-TSL	8 ¹ / ₄ x 53 ³ / ₈ (210 x 1356 mm)	7 ¹ / ₄ x 52 (184 x 1321 mm)
GDM-52-TM	11 ¹ / ₈ x 52 (283 x 1321 mm)	11 x 51 ⁵ / ₈ (279 x 1311 mm)
GDM-69	8 ¹ / ₄ x 76 ³ / ₈ (210 x 1940 mm)	7 ⁷ / ₈ x 76 (200 x 1930 mm)
GDM-72	8 ¹ / ₄ x 76 (210 x 1930 mm)	7 ⁷ / ₈ x 75 ³ / ₄ (200 x 1924 mm)
GDM-72-TSL	8 ¹ / ₄ x 77 ³ / ₈ (210 x 1965 mm)	7 ¹ / ₄ x 76 (184 x 1930 mm)
TAC-14GS-LD	6 ⁵ / ₁₆ x 29 ⁷ / ₈ (160 x 759 mm)	4 ⁷ / ₈ x 25 ⁷ / ₈ (124 x 657 mm)
TAC-30-LD "BUBBLE SIGN"	8 ¹ / ₄ x 29 ¹ / ₈ (210 x 740 mm)	7 ⁵ / ₈ x 25 ³ / ₄ (194 x 654 mm)
TAC-30-Flat "FSIGN"	8 ¹ / ₄ x 29 ¹ / ₈ (210 x 740 mm)	7 ⁵ / ₈ x 25 ³ / ₄ (194 x 654 mm)
TAC-30-LD "NEW"	8 ¹ / ₄ x 28 ³ / ₁₆ (210 x 716 mm)	7 ¹ / ₄ x 26 ⁵ / ₁₆ (184 x 669 mm)
TAC-30GS-LD	7 ³ / ₄ x 26 ⁷ / ₁₆ (197 x 672 mm)	7 ³ / ₈ x 26 ¹ / ₄ (187 x 667 mm)
TAC-36-LD "BUBBLE SIGN"	9 ⁷ / ₁₆ x 35 ⁹ / ₁₆ (240 x 903 mm)	9 ¹ / ₁₆ x 35 ³ / ₁₆ (230 x 894 mm)
TAC-36-Flat "FSIGN"	8 ¹ / ₄ x 35 ⁹ / ₁₆ (210 x 903 mm)	7 ⁵ / ₈ x 31 ³ / ₄ (194 x 806 mm)
TAC-36-LD "NEW"	8 ¹ / ₄ x 34 ³ / ₁₆ (210 x 868 mm)	7 ¹ / ₄ x 32 ⁵ / ₁₆ (184 x 821 mm)
TAC-48-LD "BUBBLE SIGN"	9 ⁷ / ₁₆ x 47 ⁹ / ₁₆ (240 x 1208 mm)	9 ¹ / ₁₆ x 47 ³ / ₁₆ (230 x 1199 mm)
TAC-48-Flat "FSIGN"	8 ¹ / ₄ x 47 ⁷ / ₁₆ (210 x 1205 mm)	7 ⁵ / ₈ x 43 ³ / ₄ (194 x 1111 mm)
TAC-48-LD "NEW"	8 ¹ / ₄ x 46 ³ / ₁₆ (210 x 1173 mm)	7 ¹ / ₄ x 44 ⁵ / ₁₆ (184 x 1126 mm)
TAC-48GS-LD	7 ³ / ₄ x 44 ⁵ / ₈ (197 x 1133 mm)	7 ³ / ₈ x 44 ¹ / ₄ (188 x 1124 mm)
TAC-48-SM	9 ³ / ₄ x 35 ⁷ / ₈ (248 x 911 mm)	8 x 35 (203 x 889 mm)
TAC-72-LD "BUBBLE SIGN"	9 ⁷ / ₁₆ x 71 ⁹ / ₁₆ (240 x 1818 mm)	9 ¹ / ₁₆ x 71 ³ / ₁₆ (230 x 1808 mm)
TAC-72-Flat "FSIGN"	8 ¹ / ₄ x 71 ¹ / ₈ (210 x 1807 mm)	7 ⁷ / ₈ x 67 ³ / ₄ (200 x 1721 mm)
TAC-72-LD "NEW"	8 ¹ / ₄ x 70 ³ / ₁₆ (210 x 1782 mm)	7 ¹ / ₄ x 68 ⁵ / ₁₆ (184 x 1735 mm)

TRIM AREA: The final, overall size of the door decal or sign graphics.

VIEWING AREA: The dimension all critical elements (type, logos, legal lines) must stay within so as not to be blocked out by the sign frame.

DOOR DECALS

MODEL	Trim Area (Final Graphic Size) Height x Length (inches)	Viewing Area Height x Length (inches)
All FLM Models	4 x 21 ³ / ₄ (102 x 552 mm)	(Same as trim area)
GDM-06-LD/TSL	3 ⁷ / ₈ x 17 (98 x 432 mm)	3 ³ / ₄ x 16 ⁹ / ₁₆ (95 x 421 mm)
GDM-07/-10 /-10-58/ -12-LD/ TSL	3 ³ / ₄ x 20 ¹ / ₈ (95 x 512 mm)	3 x 19 ¹ / ₄ (76 x 514 mm)
GDM-41C-48 /-41CPT-48-LD		
GDM-41SL-54/-41SL-60-LD		
GDM-10PT-LD, GDM-10SSL	5 ¹ / ₄ x 20 ¹ / ₈ (133 x 512 mm)	4 ¹ / ₂ x 19 ⁵ / ₈ (114 x 499 mm)
GDM-09-LD	3 ³ / ₄ x 14 (95 x 356 mm)	3 x 13 ¹ / ₂ (76 x 343 mm)
GDM-10F/-12F-LD	6 ¹ / ₂ x 20 ¹ / ₈ (165 x 512 mm)	6 x 19 ⁵ / ₈ (152 x 499 mm)
GDM/TVM/-30/36SL-LD (2 door decals)	3 x 15 ¹ / ₂ (76 x 394 mm)	2 ³ / ₈ x 10 ¹ / ₄ (60 x 260 mm)
GDM-33C/-33CPT/ -33CPT-54-LD	3 ³ / ₄ x 15 ¹³ / ₁₆ (95 x 402 mm)	3 x 13 ⁹ / ₁₆ (76 x 389 mm)
GDM-33SSL-54/56/ -33CPT-54BB-LD		


TAC FRONT MIDDLE PANEL

MODEL	Height x Length (inches)
TAC-14GS-LD	5 ⁷ / ₁₆ x 26 ¹ / ₁₆ (138 x 662 mm)
TAC-30-LD	10 ³ / ₁₆ x 26 ¹ / ₄ (259 x 667 mm)
TAC-30GS-LD	15 x 26 ⁵ / ₈ (427 x 676 mm)
TAC-36-LD	10 ³ / ₁₆ x 32 ¹ / ₄ (259 x 819 mm)
TAC-36GS-LD	16 ¹³ / ₁₆ x 32 ⁵ / ₈ (427 x 829 mm)
TAC-48-LD	10 ³ / ₁₆ x 44 ¹ / ₈ (259 x 1121 mm)
TAC-48GS-LD	trim: 16 ¹³ / ₁₆ x 44 ¹ / ₂ (427 x 1130 mm) view: 10 ¹ / ₂ x 44 ¹ / ₂ (267 x 1130 mm)
TAC-72-LD	10 ³ / ₁₆ x 67 ¹³ / ₁₆ (259 x 1722 mm)


END DECALS

MODEL	Width x Height (inches)
All FLM Models	26 ⁵ / ₈ x 76 ¹⁵ / ₁₆ (676 x 1954 mm)
GDM-3-LD	17 ¹ / ₁₆ x 32 ¹ / ₄ (433 x 819 mm)
GDM-5-LD	20 ¹ / ₈ x 34 ¹³ / ₁₆ (511 x 884 mm)
GDM-6-LD (NOTCH VENTS 6 ⁷ / ₁₆ " FROM BACK; 7 ¹¹ / ₁₆ " FROM BOTTOM)	21 ⁷ / ₈ x 34 ⁵ / ₈ (556 x 879 mm)
GDM-7-TSL / -7F-TSL (NOTCH VENTS 6 ⁷ / ₈ " FROM BACK; 9" FROM BOTTOM)	21 ¹ / ₂ x 37 (546 x 940 mm)
GDM-8-LD	19 ¹⁵ / ₁₆ x 45 ¹ / ₁₆ (506 x 1145 mm)
GDM-8N-LD	24 ¹ / ₈ x 46 ⁵ / ₈ (613 x 1184 mm)
GDM-9-LD	19 ³ / ₈ x 36 ¹ / ₄ (492 x 921 mm)
GDM-9SQ-LD	20 x 37 ⁵ / ₈ (508 x 956 mm)
GDM-10 / -10PT / -10F-LD	19 ¹⁵ / ₁₆ x 50 ¹³ / ₁₆ (506 x 1291 mm)
GDM-10SSL-LD	15 x 50 ⁷ / ₈ (381 x 1292 mm)
GDM-10-58-LD	19 ¹⁵ / ₁₆ x 55 ³ / ₈ (506 x 1407 mm)
GDM-12 / -12F-LD	19 ¹⁵ / ₁₆ x 59 ¹¹ / ₁₆ (506 x 1516 mm)
GDM-14RF-LD	23 ¹ / ₄ x 56 ³ / ₈ (591 x 1432 mm)
GDM-15RTO-LD	20 ¹⁵ / ₁₆ x 69 (532 x 1753 mm)
GDM-19T-LD	21 ¹ / ₂ x 76 ⁹ / ₁₆ (546 x 1945 mm)
"Swing" Door Ends GDM-23 / -23F / -26 / -26F / -35 / -35F / -43 / -49 / -49F / -72 / -72F/CVS-49-LD	26 ⁷ / ₁₆ x 76 ⁹ / ₁₆ (672 x 1945 mm)
GDM-30-LD	20 ¹ / ₄ x 53 (514 x 1346 mm)
"Slide" Door Ends GDM-33 / -37 / -41 / -45 / -47 / -69-LD	28 ¹¹ / ₁₆ x 76 ⁹ / ₁₆ (729 x 1945 mm)
GDM-33C-LD	28 ¹¹ / ₁₆ x 59 ⁹ / ₁₆ (729 x 1513 mm)
GDM-33CPT-LD	23 ¹¹ / ₁₆ x 57 ³ / ₄ (602 x 1467 mm)
GDM-33CPT-54-LD	23 ¹¹ / ₁₆ x 51 ¹⁵ / ₁₆ (602 x 1319 mm)
GDM-33SSL-54-LD	17 ⁵ / ₈ x 51 ¹⁵ / ₁₆ (445 x 1354 mm)
GDM-33SSL-56-LD	17 ⁵ / ₈ x 53 ⁵ / ₁₆ (445 x 1354 mm)
GDM-35SL-RF-LD	17 ¹ / ₂ x 55 ⁷ / ₁₆ (445 x 1408 mm)
GDM-36/TVM-36SL-LD	17 ⁵ / ₈ x 53 ¹ / ₂ (448 x 1359 mm)
GDM-41SL-LD/TVM-48SL	23 ³ / ₁₆ x 76 ⁹ / ₁₆ (589 x 1945 mm)
GDM-41SL-54-LD	20 ⁵ / ₈ x 51 ¹⁵ / ₁₆ (524 x 1319 mm)
GDM-41SL-60-LD	20 ⁵ / ₈ x 57 ¹¹ / ₁₆ (524 x 1465 mm)
GDM-41C-48-LD	23 ¹¹ / ₁₆ x 46 ¹ / ₄ (602 x 1175 mm)
GDM-41CPT-48-LD	23 ¹¹ / ₁₆ x 46 ¹ / ₄ (602 x 1175 mm)
GDM-52TM - Rear	12 ¹ / ₈ x 53 ⁵ / ₈ (308 x 1362 mm)
TVM-400	20 x 76 (508 x 1930 mm)
TAC-30 / -36 / -48 / -72-LD	28 ¹ / ₈ x 79 ⁵ / ₁₆ (714 x 2015 mm)


NOTE: Please contact factory for TAC-GS templates.



TAC-30GS



TAC-14GS




GDM-6-LD NOTCH VENT
(Side view)

TFM-29, TFM-41 and TFM-51

Right Side


Left side is $25\frac{1}{2}$ " wide and $26\frac{1}{2}$ " top to bottom at the front of the side and 31" top to bottom at the rear.



NOTE: IN MOST CASES LEFT SIDE DIMS WILL BE THE SAME AS RIGHT SIDE DIMS AND THE GRILL WILL BE CUT OUT IN PRODUCTION WHEN APPLYING THE DECAL.

Left Side

Right side is $25\frac{1}{2}$ " wide and 15" top to bottom at the front of the side and $19\frac{1}{2}$ " top to bottom at the rear. This is due to the grill at the bottom on this side.



Front

The front is $26\frac{1}{2}$ " top to bottom on all the units.

TFM-29: $29\frac{1}{2}$ " wide

TFM-41: 41" wide

TFM-51: 51" wide

FRACTION CONVERSION CHART

		<u>Inches</u>	<u>Millimeters</u>			<u>Inches</u>	<u>Millimeters</u>
	$\frac{1}{64}$.015625	.3969		$\frac{33}{64}$.515625	13.0969
$\frac{1}{32}$	$\frac{3}{64}$.03125	.7938	$\frac{17}{32}$	$\frac{35}{64}$.53125	13.4938
	$\frac{5}{64}$.046875	1.1906		$\frac{37}{64}$.546875	13.8907
$\frac{1}{16}$	$\frac{7}{64}$.0625	1.5875	$\frac{9}{16}$	$\frac{39}{64}$.5625	14.2876
	$\frac{9}{64}$.078125	1.9844		$\frac{41}{64}$.578125	14.6844
$\frac{3}{32}$	$\frac{11}{64}$.09375	2.3813	$\frac{19}{32}$	$\frac{43}{64}$.59375	15.0813
	$\frac{13}{64}$.109375	2.7781		$\frac{45}{64}$.609375	15.4782
$\frac{1}{8}$	$\frac{15}{64}$.125	3.1750	$\frac{5}{8}$	$\frac{47}{64}$.625	15.8751
	$\frac{17}{64}$.140625	3.5719		$\frac{49}{64}$.640625	16.2719
$\frac{5}{32}$	$\frac{19}{64}$.15625	3.9688	$\frac{21}{32}$	$\frac{51}{64}$.65625	16.6688
	$\frac{21}{64}$.171875	4.3656		$\frac{53}{64}$.671875	17.0657
$\frac{3}{16}$	$\frac{23}{64}$.1875	4.7625	$\frac{11}{16}$	$\frac{55}{64}$.6875	17.4626
	$\frac{25}{64}$.203125	5.1594		$\frac{57}{64}$.703125	17.8594
$\frac{7}{32}$	$\frac{27}{64}$.21875	5.5563	$\frac{23}{32}$	$\frac{59}{64}$.71875	18.2563
	$\frac{29}{64}$.234375	5.9531		$\frac{61}{64}$.734375	18.6532
$\frac{1}{4}$	$\frac{31}{64}$.250	6.3500	$\frac{3}{4}$	$\frac{63}{64}$.750	19.0501
	$\frac{33}{64}$.265625	6.7469		$\frac{65}{64}$.765625	19.4470
$\frac{9}{32}$.28125	7.1438	$\frac{25}{32}$.78125	19.8438
		.296875	7.5406			.796875	20.2407
$\frac{5}{16}$.3125	7.9375	$\frac{13}{16}$.8125	20.6376
		.328125	8.3344			.828125	21.0345
$\frac{11}{32}$.34375	8.7313	$\frac{27}{32}$.84375	21.4313
		.359375	9.1282			.859375	21.8282
$\frac{3}{8}$.375	9.5250	$\frac{7}{8}$.875	22.2251
		.390625	9.9219			.890625	22.6220
$\frac{13}{32}$.40625	10.3188	$\frac{29}{32}$.90625	23.0188
		.421875	10.7157			.921875	23.4157
$\frac{7}{16}$.4375	11.1125	$\frac{15}{16}$.9375	23.8126
		.453125	11.5094			.953125	24.2095
$\frac{15}{32}$.46875	11.9063	$\frac{31}{32}$.96875	24.6063
		.484375	12.3032			.984375	25.0032
$\frac{1}{2}$.500	12.7001	$\frac{1}{1}$		1.000	25.4001