




SPEC3 PACKAGE SERIES

UNDERCOUNTER/WORKTOP & FOOD PREP





SPEC3

When you want the best in convenience and versatility for keeping your food cool and accessible, our innovative SPEC3 Package has you covered.

We understand the importance of simplicity, and that's why we've designed a cooling solution that seamlessly integrates into your workspace, making it easier than ever to enjoy your favorite dishes and snacks.

Say goodbye to the hassle of conventional cooling methods and welcome a world of ease and versatility with our Spec 3.

Table of Contents

SPEC3 Features.....	3	Food Prep.....	11
Undercounters.....	4	Lid Options.....	12
Worktops.....	5	Pan Dividers.....	13
TUC/TWT Features.....	6	OverShelfs.....	14
Sandwich/Salads.....	7	Interior Kit Options....	14

SPEC3 FEATURES

- Stainless steel front, countertop, sides, and back.
- Interior features stainless steel liner and stainless steel floor with coved corners.
- Countertop is flush with front of doors and 20 gauge doors and drawer fronts.
- Lifetime-guaranteed heavy duty all metal working spec door/drawer handle.
- Exterior digital temperature display.
- Heavy-duty gray PVC-coated wire shelves on door sections.
- Heavy-duty stainless steel drawer slides and rollers are removable without tool for easy cleaning.
- Door and drawer locks standard.

Additional Option

- Heavy-duty 16 gauge top.

Exterior Digital Display



PVC-Coated Wire Shelves



Standard Door/Drawer Locks



Stainless Steel Door & Drawer Fronts

Stainless Steel Drawer Slides & Rollers



TRUE® SPEC3 SERIES



TUC-24G-HC~SPEC3



TUC-27D-2-HC~SPEC3



TUC-48G-HC~SPEC3



TUC-67-HC~SPEC3



UNDERCOUNTER

Model	Cabinet Dimensions W x D† x H*	Doors/ Drawers	HP	Amps	Crated Weight
-------	-----------------------------------	-------------------	----	------	------------------

SOLID DOOR REFRIGERATORS

TUC-24-HC~SPEC3	24 x 24¾ x 31¾	1/0	½	2.0	155
TUC-27-HC~SPEC3	27¾ x 29½ x 29¾	1/0	½	2.0	195
TUC-36-HC~SPEC3	36¾ x 29½ x 29¾	2/0	½	2.0	TBD
TUC-48-HC~SPEC3	48¾ x 29½ x 29¾	2/0	½	2.0	260
TUC-60-HC~SPEC3	60¾ x 29½ x 29¾	2/0	¼	4.0	325
TUC-72-HC~SPEC3	72¾ x 29½ x 29¾	3/0	¼	4.0	405

GLASS DOOR REFRIGERATORS

TUC-27G-HC~SPEC3	27¾ x 29½ x 29¾	1/0	½	2.0	195
TUC-48G-HC~SPEC3	48¾ x 29½ x 29¾	2/0	½	3.0	305
TUC-60G-HC~SPEC3	60¾ x 29½ x 29¾	2/0	¼	4.0	TBD

REFRIGERATORS WITH DRAWERS OR DOOR/DRAWER COMBO

TUC-27D-2-HC~SPEC3	27¾ x 29½ x 29¾	0/2	½	2.0	225
TUC-48D-2-HC~SPEC3	48¾ x 29½ x 29¾	1/2	½	3.0	305
TUC-48D-4-HC~SPEC3	48¾ x 29½ x 29¾	0/4	½	3.0	330
TUC-60D-2-HC~SPEC3	60¾ x 29½ x 29¾	1/2	¼	4.0	TBD
TUC-60D-4-HC~SPEC3	60¾ x 29½ x 29¾	0/4	¼	4.0	TBD

SOLID DOOR FREEZERS

TUC-27F-HC~SPEC3	27¾ x 29½ x 29¾	1/0	¼	2.3	190
TUC-48F-HC~SPEC3	48¾ x 29½ x 29¾	2/0	½	3.2	290
TUC-60F-HC~SPEC3	60¾ x 29½ x 29¾	2/0	½	4.8	370

FREEZERS WITH DRAWERS

TUC-27F-D-2-HC~SPEC3	27¾ x 29½ x 29¾	0/2	¼	2.3	220
TUC-48F-D-4-HC~SPEC3	48¾ x 29½ x 29¾	0/4	½	5.4	325

Model	Cabinet Dimensions W x D† x H*	Doors/ Drawers	HP	Amps	Crated Weight
-------	-----------------------------------	-------------------	----	------	------------------

DEEP SOLID DOOR REFRIGERATORS

TUC-44-HC~SPEC3	44½ x 32¼ x 29¾	1/0	½	5.1	290
TUC-60-32-HC~SPEC3	60¼ x 32¼ x 29¾	2/0	½	5.1	365
TUC-67-HC~SPEC3	67¼ x 32¼ x 29¾	2/0	½	5.1	385
TUC-93-HC~SPEC3	93¼ x 32¼ x 29¾	3/0	½	4.5	545

DEEP REFRIGERATORS WITH DRAWERS OR DOOR/DRAWER COMBO

TUC-44D-2-HC~SPEC3	44½ x 32¼ x 29¾	0/2	½	5.1	285
TUC-60-32D-2-HC~SPEC3	60¼ x 32¼ x 29¾	1/2	½	5.1	365
TUC-67D-2-HC~SPEC3	67¼ x 32¼ x 29¾	1/2	½	5.1	425
TUC-67D-4-HC~SPEC3	67¼ x 32¼ x 29¾	0/4	½	5.1	480
TUC-93D-2-HC~SPEC3	93¼ x 32¼ x 29¾	2/2	½	4.5	575
TUC-93D-4-HC~SPEC3	93¼ x 32¼ x 29¾	1/4	½	4.5	635
TUC-93D-6-HC~SPEC3	93¼ x 32¼ x 29¾	0/6	½	4.5	680

DEEP SOLID DOOR FREEZERS

TUC-44F-HC~SPEC3	44½ x 32¼ x 29¾	1/0	½	7.0	300
TUC-60-32F-HC~SPEC3	60¼ x 32¼ x 29¾	2/0	½	7.0	370
TUC-67F-HC~SPEC3	67¼ x 32¼ x 29¾	2/0	½	7.0	425

† Depth does not include 1¾" (45 mm) for door handles.


‡ Depth does not include 1" (26mm) for rear bumpers or ¼" (7mm) for front bumper.

* Height does not include 6¼" (159mm) for castors or 6" (153mm) for optional legs.

note: Door/drawer combination cabinets require customer to designate door/drawer orientation.



Tray slide kits available for deep TUC and TWT SPEC3 models. See Accessories, page 12.



WORKTOP

Model	Cabinet Dimensions W x D† x H*	Doors/ Drawers	HP	Amps	Grated Weight
SOLID DOOR REFRIGERATORS					
TWT-27-HC~SPEC3	27½ x 29½ x 33¼	1/0	½	2.0	195
TWT-36-HC~SPEC3	36¾ x 29½ x 33¼	2/0	½	2.0	235
TWT-48-HC~SPEC3	48¾ x 29½ x 33¼	2/0	½	2.0	280
TWT-60-HC~SPEC3	60¾ x 29½ x 33¼	2/0	¼	4.0	TBD
TWT-72-HC~SPEC3	72¾ x 29½ x 33¼	3/0	¼	4.0	405

REFRIGERATORS WITH DRAWERS OR DOOR/DRAWER COMBO					
TWT-27D-2-HC~SPEC3	27½ x 29½ x 33¼	0/2	½	2.0	215
TWT-48D-2-HC~SPEC3	48¾ x 29½ x 33¼	1/2	½	3.0	315
TWT-48D-4-HC~SPEC3	48¾ x 29½ x 33¼	0/4	½	3.0	330
TWT-60D-2-HC~SPEC3	60¾ x 29½ x 33¼	1/2	¼	4.0	TBD
TWT-60D-4-HC~SPEC3	60¾ x 29½ x 33¼	0/4	¼	4.0	TBD

SOLID DOOR FREEZERS					
TWT-27F-HC~SPEC3	27½ x 29½ x 33¼	1/0	¼	2.3	210
TWT-48F-HC~SPEC3	48¾ x 29½ x 33¼	2/0	½	3.2	285
TWT-60F-HC~SPEC3	60¾ x 29½ x 33¼	2/0	½	4.8	375

DEEP SOLID DOOR REFRIGERATORS					
TWT-44-HC~SPEC3	44½ x 32¼ x 33¼	1/0	½	5.1	285
TWT-60-32-HC~SPEC3	60¼ x 32¼ x 33¼	2/0	½	5.1	360
TWT-67-HC~SPEC3	67¼ x 32¼ x 33¼	2/0	½	5.1	420
TWT-93-HC~SPEC3	93¼ x 32¼ x 33¼	3/0	½	4.5	545

DEEP REFRIGERATORS WITH DRAWERS OR DOOR/DRAWER COMBO					
TWT-44D-2-HC~SPEC3	44½ x 32¼ x 33¼	0/2	½	5.1	285
TWT-60-32D-2-HC~SPEC3	60¼ x 32¼ x 33¼	1/2	½	5.1	395
TWT-67D-2-HC~SPEC3	67¼ x 32¼ x 33¼	1/2	½	5.1	430
TWT-67D-4-HC~SPEC3	67¼ x 32¼ x 33¼	0/4	½	5.1	495
TWT-93D-2-HC~SPEC3	93¼ x 32¼ x 33¼	2/2	½	4.5	575
TWT-93D-4-HC~SPEC3	93¼ x 32¼ x 33¼	1/4	½	4.5	610
TWT-93D-6-HC~SPEC3	93¼ x 32¼ x 33¼	0/6	½	4.5	680

DEEP SOLID DOOR FREEZERS					
TWT-44F-HC~SPEC3	44½ x 32¼ x 33¼	1/0	½	7.0	305
TWT-60-32F-HC~SPEC3	60¼ x 32¼ x 33¼	2/0	½	7.0	385
TWT-67F-HC~SPEC3	67¼ x 32¼ x 33¼	2/0	½	7.0	435

Note: SPEC1 models are no longer available.
 † Depth does not include 1¼" (45 mm) for door handles.
 ‡ Depth does not include 1" (26mm) for rear bumpers or ¼" (7mm) for front bumper.
 * Height does not include 6¼" (159mm) for castors or 6" (153mm) for optional legs.
 Note: Door/drawer combination cabinets require customer to designate door/drawer orientation.

TWT-48D-2-HC~SPEC3




TWT-60D-2-HC~SPEC3



TWT-60-32D-2-HC~SPEC3



Tray slide kits available for deep TUC and TWT SPEC3 models.
 See Accessories, page 12.



CHEF BASE FEATURES

- True's refrigerated chef bases are designed with enduring quality that protects your long term investment.
- Interior features stainless steel liner and stainless steel floor with coved corners.
- Exterior digital temperature display.
- Heavy duty all metal working spec door handle.
- Heavy-duty stainless steel drawer slides and rollers are removable without tools for easy cleaning.
- Door and drawer locks standard.

Additional Option

- Heavy-duty 20 gauge doors and drawer fronts, TRCB models feature 16 gauge work surfaces.



Exterior Digital Control



Heavy Duty Handle



Stainless Steel Drawer Slides & Rollers

TRCB-36-HC



TRCB-72-HC



TRCB-82-HC



CHEF BASE

Model	Doors/Drawers	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)
TRCB-36-HC	2	36 ³ / ₈ x 32 ¹ / ₈ x 20 ¹ / ₂	¼	2.4	250
TRCB-48-HC	2	48 ³ / ₈ x 32 ¹ / ₈ x 20 ¹ / ₂	¼	2.4	325
TRCB-52-60-HC	2	60 x 32 ¹ / ₈ x 20 ¹ / ₂	¼	2.4	370
TRCB-52-HC	2	51 ¹ / ₈ x 32 ¹ / ₈ x 20 ¹ / ₂	¼	2.4	350
TRCB-72-HC	4	72 ³ / ₈ x 32 ¹ / ₈ x 20 ¹ / ₂	½	4.4	435
TRCB-79-86-HC	4	86 ¹ / ₄ x 30 ¹ / ₂ x 20 ³ / ₈	½	4.4	490
TRCB-79-HC	4	79 ¹ / ₄ x 30 ¹ / ₂ x 20 ¹ / ₂	½	4.4	495
TRCB-82-84-HC	4	84 x 32 ¹ / ₈ x 20 ¹ / ₂	½	4.4	555
TRCB-82-86-HC	4	86 ¹ / ₄ x 32 ¹ / ₈ x 20 ¹ / ₂	½	4.4	495
TRCB-82-HC	4	82 ³ / ₈ x 32 ¹ / ₈ x 20 ¹ / ₂	½	4.4	475
TRCB-96-HC	4	95 ¹ / ₂ x 32 ¹ / ₈ x 20 ¹ / ₂	½	4.4	610
TRCB-110-HC	6	100 x 30 ¹ / ₂ x 20 ³ / ₈	½	4.4	695

TRCB-110-HC





TUC/TWT FEATURES

- Stainless steel front, sides and back.
- Interior features stainless steel liner and stainless steel floor with coved corners.
- Exterior digital temperature display.
- Heavy-duty gray PVC-coated wire shelves on door sections.
- Heavy-duty stainless steel drawer slides and rollers are removable without tools for easy cleaning.
- Door and drawer locks standard.

Additional Option

- Heavy-duty 20 gauge doors and drawer fronts, TPP models feature 16 gauge work surfaces.



Exterior Digital Display






















PVC-Coated Wire Shelves



Stainless Steel Drawer Slides & Roller

SANDWICH/SALAD

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TSSU-27-08-HC~SPEC3	1 / 0	2	27 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	3.5	102	 8
TSSU-36-08-HC~SPEC3	2 / 0	4	36 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{4}$	4.5	116	 8
TSSU-48-08-HC~SPEC3	2 / 0	4	48 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	5.8	134	 8
TSSU-48-10-HC~SPEC3	2 / 0	4	48 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	5.8	136	 10
TSSU-48-12-HC~SPEC3	2 / 0	4	48 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	5.8	155	 12
TSSU-60-08-HC~SPEC3	2 / 0	4	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	6.5	155	 8
TSSU-60-10-HC~SPEC3	2 / 0	4	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	6.5	166	 10
TSSU-60-12-HC~SPEC3	2 / 0	4	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	6.5	171	 12
TSSU-60-16-HC~SPEC3	2 / 0	4	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	6.5	164	 16
TSSU-72-08-HC~SPEC3	3 / 0	6	72 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	7.2	198	 8
TSSU-72-10-HC~SPEC3	3 / 0	6	72 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	7.2	198	 10
TSSU-72-12-HC~SPEC3	3 / 0	6	72 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	7.2	202	 12
TSSU-72-16-HC~SPEC3	3 / 0	6	72 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	7.2	200	 16
TSSU-72-18-HC~SPEC3	3 / 0	6	72 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	7.2	202	 18
TSSU-27-08D-2-HC~SPEC3	0 / 2	N/A	27 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	3.5	102	 8
TSSU-48-12D-2-HC~SPEC3	1 / 2	2	48 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	5.8	155	 12
TSSU-48-12D-4-HC~SPEC3	0 / 4	N/A	48 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	5.8	155	 12
TSSU-60-16D-2-HC~SPEC3	1 / 2	2	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	6.5	184	 16
TSSU-60-16D-4-HC~SPEC3	0 / 4	N/A	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{3}$	6.5	191	 16

Note: SPEC1 models are no longer available.

All models listed are available with optional crumb catcher.

All models listed are available with optional 19" (483mm) cutting board (excludes drawered models).

† Depth does not include 1" (26mm) for rear bumpers.

* Height does not include 6 $\frac{1}{4}$ " (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lid(s) closed.


** Width dimension does not include $\frac{1}{8}$ " (4mm) (each side) for lid pins, TSSU-27's only.

Note: Door/drawer combination cabinets require customer to designate door/drawer orientation.

Note: All models available with optional 3" (77mm) ADA compliant castors for 34" (864mm) work surface height.

All dimensions rounded up to the nearest $\frac{1}{8}$ ".

DUAL SIDED SANDWICH/SALAD

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TSSU-60-16-DS-ST-HC~SPEC3	2 / 0	4	60 $\frac{3}{8}$ x 38 $\frac{3}{4}$ x 31 $\frac{3}{8}$	$\frac{1}{3}$	6.5	193	 16

Note: SPEC1 models are no longer available.

All models listed are available with optional crumb catcher.

* Height does not include 6 $\frac{1}{4}$ " (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lids closed.

Note: All models available with optional 3" (77mm) ADA compliant castors for 34" (864mm) work surface height.

All dimensions rounded up to the nearest $\frac{1}{8}$ ".



TSSU-27-08D-2-HC~SPEC3



TSSU-36-08-HC~SPEC3



TSSU-60-08-HC~SPEC3



TSSU-60-16D-4-HC~SPEC3



TSSU-27-12M-B-HC~SPEC3



TSSU-36-12M-B-HC~SPEC3


















TSSU-60-12M-B-HC~SPEC3



TSSU-72-24M-B-ST-HC~SPEC3

MEGA-TOP SANDWICH/SALAD

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TSSU-27-12M-B-HC~SPEC3	1 / 0	2	27 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	3.5	102	 12
TSSU-27-12M-C-HC~SPEC3	1 / 0	2	27 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	3.5	102	 12
TSSU-36-12M-B-HC~SPEC3	2 / 0	4	36 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{4}$	4.5	118	 12
TSSU-48-12M-B-HC~SPEC3	2 / 0	4	48 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	5.8	155	 12
TSSU-48-15M-B-HC~SPEC3	2 / 0	4	48 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	5.8	141	 15
TSSU-48-18M-B-HC~SPEC3	2 / 0	4	48 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	5.8	141	 18
TSSU-60-12M-B-HC~SPEC3	2 / 0	4	60 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	6.5	168	 12
TSSU-60-15M-B-HC~SPEC3	2 / 0	4	60 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	6.5	168	 15
TSSU-60-18M-B-HC~SPEC3	2 / 0	4	60 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	6.5	175	 18
TSSU-60-24M-B-ST-HC~SPEC3	2 / 0	4	60 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	6.5	175	 24
TSSU-72-12M-B-HC~SPEC3	3 / 0	6	72 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{2}$	7.2	200	 12
TSSU-72-15M-B-HC~SPEC3	3 / 0	6	72 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{2}$	7.2	202	 15
TSSU-72-18M-B-HC~SPEC3	3 / 0	6	72 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{2}$	7.2	202	 18
TSSU-72-24M-B-ST-HC~SPEC3	3 / 0	6	72 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{2}$	7.2	207	 24
TSSU-72-30M-B-ST-HC~SPEC3	3 / 0	6	72 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{2}$	7.2	214	 30

Note: SPEC1 models are no longer available.

† Depth does not include 1" for rear bumpers.

* Height does not include 6 $\frac{1}{4}$ " (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lid(s) closed.

** Width dimension does not include $\frac{1}{8}$ " (4mm) (each side) for lid pins, TSSU-27's only.

Note: M-B model standard with nine $\frac{1}{8}$ " and three $\frac{3}{8}$ " size pans.

Note: All models available with optional 3" (77mm) ADA compliant castors for 34" (864mm) work surface height.

All dimensions rounded up to the nearest $\frac{1}{8}$ ".



TSSU-60-24M-B-DS-ST-HC~SPEC3



TSSU-72-30M-B-DS-ST-HC~SPEC3





TSSU-48-18M-B-FGLID-HC~SPEC3



TSSU-60-24M-B-ST-FGLID-HC~SPEC3

DUAL SIDED MEGA-TOP SANDWICH/SALAD

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TSSU-60-24M-B-DS-ST-HC~SPEC3	2 / 0	4	60 ³ / ₈ x 40 ³ / ₈ x 31 ³ / ₈	1/2	6.5	191	 24
TSSU-72-30M-B-DS-ST-HC~SPEC3	3 / 0	6	72 ³ / ₈ x 41 ⁷ / ₈ x 31 ³ / ₈	1/2	7.2	223	 30

Note: SPEC1 models are no longer available.

** Width dimension does not include 1/4" (7mm) (each side) for cutting board brackets.




† Depth does not include 3 1/8" (80mm) each side on TSSU-60-24M-B-DS-ST or 2 3/8" (61mm) each side on TSSU-72-30M-B-DS-ST for cutting boards.

* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lid(s) closed.

Note: All models available with optional 3" (77mm) ADA compliant castors for 34" (864mm) work surface height.

All dimensions rounded up to the nearest 1/8".

MEGA-TOP SANDWICH/SALAD UNITS WITH FLAT GLASS LIDS

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TSSU-48-18M-B-FGLID-HC~SPEC3	2 / 0	4	48 ³ / ₈ x 34 ⁷ / ₈ x 31 ³ / ₈	1/2	5.8	145	 18
TSSU-60-24M-B-ST-FGLID-HC~SPEC3	2 / 0	4	60 ³ / ₈ x 34 ⁷ / ₈ x 31 ³ / ₈	1/2	6.5	168	 24
TSSU-72-30M-B-ST-FGLID-HC~SPEC3	3 / 0	6	72 ³ / ₈ x 34 ⁷ / ₈ x 31 ³ / ₈	1/2	7.2	213	 30

Note: SPEC1 models are no longer available.

† Depth does not include 1" for rear bumpers.

* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lid(s) closed.













Note: M-B model standard with nine 1/6 and three 1/8 size pans.

Note: All models available with optional 3" (77mm) ADA compliant castors for 34" (864mm) work surface height.

All dimensions rounded up to the nearest 1/8".



FOOD PREP UNITS

Model	Doors/Drawers	Shelves	Dimensions W x D† x H*	HP	Amps	Number of 1/6 Pans (top)
TFP-32-12M~SPEC3	1 / 0	2	32½ x 31½ x 45¾	½	3.3	 12
TFP-48-18M~SPEC3	2 / 0	4	48½ x 31½ x 45¾	½	2.9	 18
TFP-64-24M~SPEC3	2 / 0	4	64½ x 31½ x 45¾	½	4.8	 24
TFP-72-30M~SPEC3	3 / 0	6	72½ x 31½ x 45¾	½	5.1	 30
TFP-32-12M-D-2~SPEC3	0 / 2	N/A	32½ x 31½ x 45¾	½	3.3	 12
TFP-48-18M-D-2~SPEC3	1 / 2	2	48½ x 31½ x 45¾	½	2.9	 18
TFP-48-18M-D-4~SPEC3	0 / 4	N/A	48½ x 31½ x 45¾	½	2.9	 18
TFP-64-24M-D-2~SPEC3	1 / 2	2	64½ x 31½ x 45¾	½	4.8	 24
TFP-64-24M-D-4~SPEC3	0 / 4	N/A	64½ x 31½ x 45¾	½	4.8	 24
TFP-72-30M-D-2~SPEC3	2 / 2	4	72½ x 31½ x 45¾	½	5.1	 30
TFP-72-30M-D-4~SPEC3	1 / 4	2	72½ x 31½ x 45¾	½	5.1	 30
TFP-72-30M-D-6~SPEC3	0 / 6	N/A	72½ x 31½ x 45¾	½	5.1	 30




Note: SPEC1 models are no longer available.

† Depth does not include 2" (51mm) for cutting board.

* Height does not include ¾" (19mm) for castors. Height for all units are with the lid(s) closed.

All dimensions rounded up to the nearest 1/8".

FOOD PREP UNITS WITH FLAT GLASS LID

Model	Doors/Drawers	Shelves	Dimensions W x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TFP-48-18M-FGLID~SPEC3	2 / 0	4	48½ x 32¼ x 37¼	½	2.9	TBD	 18
TFP-64-24M-FGLID~SPEC3	2 / 0	4	64½ x 32¼ x 37¼	½	4.8	259	 24
TFP-72-30M-FGLID~SPEC3	3 / 0	6	72½ x 32¼ x 37¼	½	5.1	TBD	 30

Note: SPEC1 models are no longer available.

† Depth does not include 2¼" (57mm) for cutting board.

* Height does not include ¾" (19mm) for castors. Height does not include 21½" (550mm) for open lid.

Total height with castors and lid open is 59½" (1515 mm).

All dimensions rounded up to the nearest 1/8".



TFP-32-12M~SPEC3



TFP-48-18M-D-2~SPEC3



TFP-32-12M-D-2~SPEC3



TFP-64-24M-D-4~SPEC3

PIZZA PREP TABLES

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/3 Pans (top)	
TPP-AT-44-HC~SPEC3	1 / 0	2	44½ x 33¾ x 35¾	½	8.6	150	6	
TPP-AT-60-HC~SPEC3	2 / 0	4	60¼ x 33¾ x 35¾	½	7.9	184	8	
TPP-AT-67-HC~SPEC3	2 / 0	4	67¼ x 33¾ x 35¾	½	8.6	205	9	
TPP-AT-93-HC~SPEC3	3 / 0	6	93¼ x 33¾ x 35¾	½	9.7	275	12	
TPP-AT-119-HC~SPEC3	4 / 0	8	119¼ x 33¾ x 35¾	½	10.8	347	15	18
TPP-AT-44D-2-HC~SPEC3	0 / 2	N/A	44½ x 33¾ x 35¾	½	8.6	168	6	
TPP-AT-60D-2-HC~SPEC3	1 / 2	2	60¼ x 33¾ x 35¾	½	7.9	202	8	
TPP-AT-67D-2-HC~SPEC3	1 / 2	2	67¼ x 33¾ x 35¾	½	8.6	220	9	
TPP-AT-67D-4-HC~SPEC3	0 / 4	N/A	67¼ x 33¾ x 35¾	½	8.6	248	9	
TPP-AT-93D-2-HC~SPEC3	2 / 2	4	93¼ x 33¾ x 35¾	½	9.7	286	12	
TPP-AT-93D-4-HC~SPEC3	1 / 4	2	93¼ x 33¾ x 35¾	½	9.7	309	12	
TPP-AT-93D-6-HC~SPEC3	0 / 6	N/A	93¼ x 33¾ x 35¾	½	9.7	334	12	
TPP-AT-119D-2-HC~SPEC3	3 / 2	6	119¼ x 33¾ x 35¾	½	10.8	377	15	15
TPP-AT-119D-4-HC~SPEC3	2 / 4	4	119¼ x 33¾ x 35¾	½	10.8	395	15	15
TPP-AT-119D-6-HC~SPEC3	1 / 6	2	119¼ x 33¾ x 35¾	½	10.8	393	15	15
TPP-AT-119D-8-HC~SPEC3	0 / 8	N/A	119¼ x 33¾ x 35¾	½	10.8	438	15	15

Note: SPEC1 models are no longer available.

All dimensions rounded up to the nearest ¼".

** Width dimension does not include ¼" (7mm) (each side) for cutting board brackets.

** Width dimension does not include ⅜" (10mm) (each side) for lid pins on the TPP-60, TPP-60D-2, TPP-67, TPP-67D-2 & TPP-67D-4.

† Depth dimension does not include 3" (77mm) for cutting boards.

‡ Depth does not include 1" (26mm) for rear bumpers or ¼" (7mm) for front bumper.

* Height does not include 6¼" (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lid(s) closed.

note: Door/drawer combination cabinets require customer to designate door/drawer orientation.



Tray slide kits available for TPP models.
See Accessories, page 12.



TPP-AT-93-HC~SPEC3




TPP-AT-44-HC~SPEC3



TPP-AT-67D-2-HC~SPEC3



TPP-AT-119D-2-HC~SPEC3



FLAT LID OPTION (TSSU MODELS)

Description	Number of Lids	Number of Pans	Item Number
Standard TSSU's			
TSSU-27-08-HC	1	8	920232-FI
TSSU-36-08	1	8	920051-FI
TSSU-48-08-HC	1	8	920051-FI
TSSU-48-10-HC	1	10	920052-FI
TSSU-48-12-HC	1	12	920053-FI
TSSU-60-08-HC	1	8	920051-FI
TSSU-60-10-HC	1	10	920052-FI
TSSU-60-12-HC	1	12	920053-FI
TSSU-60-16-HC*	2	8 / 8	920054-FI
TSSU-72-08-HC	1	8	920051-FI
TSSU-72-10-HC	1	10	920052-FI
TSSU-72-12-HC	1	12	920053-FI
TSSU-72-16-HC*	2	8 / 8	920054-FI
TSSU-72-18-HC*	2	10 / 8	920477-FI

*Unit now becomes a split top with two pan openings.
 Note: Flat lids are factory installed, contact customer service for lead time.




Bracket hardware utilizes existing screw holes.

FLAT LID OPTION (TSSU MEGA TOP MODELS)

Description	Number of Lids	Number of Pans	Item Number
Mega Top TSSU's			
TSSU-27-12M-B/-C-HC	1	12	920233-FI
TSSU-36-12M-B	1	12	920056-FI
TSSU-48-12M-B-HC	1	12	920056-FI
TSSU-48-15M-B-HC	1	15	920057-FI
TSSU-48-18M-B-HC	1	18	920067-FI
TSSU-60-12M-B-HC	1	12	920056-FI
TSSU-60-15M-B-HC	1	15	920057-FI
TSSU-60-18M-B-HC	1	18	920067-FI
TSSU-60-24M-B-ST-HC	2	12 / 12	955549-FI
TSSU-72-12M-B-HC	1	12	920056-FI
TSSU-72-15M-B-HC	1	15	920057-FI
TSSU-72-18M-B-HC	1	18	920067-FI
TSSU-72-24M-B-ST-HC	2	12 / 12	920058-FI
TSSU-72-30M-B-ST-HC	2	12 / 18	920059-FI

Note: Flat lids are factory installed, contact customer service for lead time.



TSSU flat lid option

TPP TELESCOPING HOOD & TOPPING CATCHER OPTIONS

Description
Telescoping Hood (Factory Installed)
TPP-44 Telescoping Hood
TPP-60 Telescoping Hood
TPP-67 Telescoping Hood
TPP-93 Telescoping Hood
TPP-119 Telescoping Hood
Topping Catcher (Factory Installed)
TPP-44 Topping Catcher
TPP-60 Topping Catcher
TPP-67 Topping Catcher
TPP-93 Topping Catcher
TPP-119 Topping Catcher

Telescoping Hood & Topping Catcher options are available for all existing variations and voltages of TPP series models.
 Telescoping Hood & Topping Catcher options are available separately or combined.
 Telescoping Hood & Topping Catcher options are not field retrofittable.
 Note: contact factory for further information.



Telescoping Hood



Topping Catcher

PAN DIVIDERS


Description	Standard	Dimensions	Item Number
Pan Dividers For Condiment Pans (top of cabinet)			
TSSU-27-08-HC	✓	1" D x 25" W	925283
TSSU-27-08-HC		7/8" D x 25" W	925451
TSSU-27-08-HC		7/8" D x 25" W	925452
TSSU Mega	✓	1" D x 20 ⁷ / ₁₆ " W	925282
TSSU Mega		1 ⁵ / ₁₆ " D x 20 ⁷ / ₁₆ " W	925453
TSSU Mega		7/8" D x 20 ⁷ / ₁₆ " W	925454
TSSU Non-Mega & TPP		1 ¹ / ₁₆ " D x 12 ⁵ / ₈ " W	861273
TSSU Non-Mega & TPP		1 ⁵ / ₁₆ " D x 12 ⁵ / ₈ " W	865597
TSSU Non-Mega & TPP	✓	2 ⁷ / ₃₂ " D x 12 ⁵ / ₈ " W	864266
TSSU Non-Mega & TPP		1" D x 12 ⁵ / ₁₆ " W	925281
Pan Dividers For Drawers			
TPP & Deep Undercounters/ Worktops		1 ¹ / ₁₆ " D x 12 ³ / ₃₂ " W	921493
TPP & Deep Undercounters/ Worktops	✓	1 ¹ / ₁₆ " D x 20 ⁷ / ₁₆ " W	921745
TRCB*	✓	1 ⁵ / ₃₂ " D x 21 ¹ / ₃₂ " W	867675

* Two pan dividers per drawer standard on TRCB-52's, TRCB-96 and left side drawers of TRCB-82's.
 Note: Pan dividers not standard on TPP models.



TSSU-48-18M-B-HC~SPEC3 shown with variety of pan sizes (pans supplied by others).

PAN SIZES



Incremental pan sizes designed to fit in full size pan opening in many different variations.

OVERSHELVES

Description	Dimensions	Item Number
Single Overshelves		
TSSU/TUC/TWT-27 & Mega-HC	(27 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	914976
TSSU/TUC/TWT-36 & Mega	(36 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	914977
TSSU/TUC/TWT-48 & Mega-HC	(48 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	914978
TSSU/TUC/TWT-60 & Mega-HC	(60 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	915702
TSSU/TUC/TWT-72 & Mega-HC	(72 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	914980
TPP/TUC/TWT-44	(44 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	915048
TPP-60, TUC/TWT-60-32	(60 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	915702
TPP/TUC/TWT-67	(67 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	915049
TFP-32	(32 $\frac{3}{8}$ "W x 16"D x 43 $\frac{1}{2}$ "H*)	958621
TFP-48	(48 $\frac{3}{8}$ "W x 16"D x 43 $\frac{1}{2}$ "H*)	958615
TFP-64	(64 $\frac{3}{8}$ "W x 16"D x 43 $\frac{1}{2}$ "H*)	958617
TFP-72	(72 $\frac{3}{8}$ "W x 16"D x 43 $\frac{1}{2}$ "H*)	958619
Double Overshelves		
TSSU/TUC/TWT-27 & Mega-HC	(27 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	914981
TSSU/TUC/TWT-36 & Mega	(36 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	914982
TSSU/TUC/TWT-48 & Mega-HC	(48 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	914983
TSSU/TPP/TUC/TWT-60 & Mega/TUC/TWT-60-32	(60 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	914984
TSSU/TUC/TWT-72 & Mega-HC	(72 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	914985
TPP/TUC/TWT-44	(44 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	915014
TPP/TUC/TWT-67	(67 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	915015
TFP-32	(32 $\frac{3}{8}$ "W x 16"D x 56 $\frac{1}{2}$ "H*)	958620
TFP-48	(48 $\frac{3}{8}$ "W x 16"D x 56 $\frac{1}{2}$ "H*)	958614
TFP-64	(64 $\frac{3}{8}$ "W x 16"D x 56 $\frac{1}{2}$ "H*)	958616
TFP-72	(72 $\frac{3}{8}$ "W x 16"D x 56 $\frac{1}{2}$ "H*)	958618

Made of heavy-gauge stainless steel.

* Indicates maximum height, single overshelves and lower shelf on double overshelves are adjustable.

Note: Overshelves not available for dual sided models.

Note: Overshelves not available for TPP-93 or -119 models.

TPP AND DEEP TUC/TWT SPEC KIT INTERIOR OPTIONS

Description
Spec Kit #1
(4) sets of #1-type tray slides and pilasters
Spec Kit #3
(3) sets of universal-type tray slides and pilasters
Other Options
#1-type tray slide for (1) 18" x 26" (458mm x 661mm), or (2) 14" x 18" (356mm x 458mm) pans - per set of 2
#3 universal-type tray slide for (1) 18" x 26" (458mm x 661mm), or (2) 12" x 20" (305mm x 458mm) pans - per set of 2

Note: When ordering interior kits, please indicate:

1. Model type

2. Interior kit type (#1-type, #3-type) and quantity

3. Section of unit in which kit will be used (left, center or right)

†Pilasters for TUC, TWT and TPP models are factory installed at no charge.


PLEASE NOTE: Lead time is required, depending on cabinet availability.



Basic Overshelf (TSSU/TUC/TWT)



TSSU-48-12-HC (double overshelf)



Sandwich/Salad Service Shelf (TSSU/TUC/TWT)



TPP-67 (single overshelf)



Pizza Prep Service Shelf (TPP only)



TUC-67 (double overshelf)

Type 1 - Angle-Type Tray Slide



16 ga. Stainless Steel
For Bottom Support of:
(1) 458mm x 661mm pan or
(2) 356mm x 458mm pans

Type 3 - Universal Tray Slide



16 ga. Stainless Steel
Angle Type for Bottom Support of:
For Bottom Support of:
(1) 458mm x 66mm pan or
(2) 356mm x 458mm pans or
(2) 305mm x 508mm pans



P R O F E S S I O N A L G R A D E E Q U I P M E N T .



2001 East Terra Lane, O'Fallon, MO 63366-4434 p: 636.240.2400 f: 636.272.2408 toll free: 800.325.6152 parts toll free: 800.424.8783

truemfg.com



209236_BC_2.24